

AOWEI

室外装饰·木塑·型材

Exterior Decor · WPC · Moulding



New environmentally friendly materials

WPC

木塑墙板



·**Insect resistant:**The special structure of wood powder and PVC keeps the termite away.

·**防虫:** 木粉和PVC的特殊结构可防止白蚁进入。



·**Environment friendly:**The amount of formaldehyde and benzene released from wood products is far below the national standards which will do no harm to human body.

·**环保:** 木制品中甲醛和苯的释放量远低于国家标准，对人体无害。



·**Shiplap System:** WPC materials are easy to install with a simplistic shiplap system with rabbit joint.

·**搭接系统:** WPC材料易于安装，带有带槽口接头的简化搭接系统。



·**Waterproof, moisture-proof and mildew proof:**


Solve the problems of perishable and swelling deformation of wooden products in humid environment.

·**防水、防潮、防霉:** 解决了木制产品在潮湿环境中易腐烂和膨胀变形等问题。




WPC —— Floor



木塑 —— 地板




AFS-14025




AFS-14025+




AFS-14625




AFS-15020




AFS-15025




AFS-15025+



AFS-15025*



AFS-15625




AFS-14030




WPC —— Floor


木塑 —— 地板




AFR-13823H





AFR-14025




AFR-14025+




AFR-15025




AFR-14025*




AFX-7010



AFX-14025





AFX-14020



AFX-30010

WPC Floor Application cases

木塑地板应用案例






WPC —— Panel


木塑 —— 墙板




A0WPC-15621



A0WPC-16120





A0WPC-22026



A0WPC-22026H

WPC Panel Application cases

木塑墙板应用案例





Installation method


安装方式

塑木地板安装示意图

Instsalation guide




The first step:
level the ground, lay the keel, and control the spacing between 30-35CM; then fix the keel with nails, and finally install the first floor, and fix the screws from the side grooves, as shown in the figure.



The second step:
After fixing the first floor, install the plastic accessories, as shown in the figure, please note that the screws cannot be fixed, so that the second floor can be easily installed.




The fourth step:
After the floor is installed, install the edge banding strips, as shown in the figure, fix the screws, and the spacing is about 40CM.




The third step:
Then fix the second floor, and then repeat the second and third steps, as shown in the figure





Accessories: keel + buckle + screw + expansion tube






Accessories


配件




AS-120120




AS-8045




AS-9040




AS-10050





AS-5050



AS-4025



AS-5040



The application of the accessories can make the product have a good decorative effect and is easy to install.



Available colors

可用色卡





·New environmentally friendly materials

ADD:1211-026, Unit B,2nd Floor,NO.2
Building, Yihe Three Road,Comprehensive
Free Trade Zone Linyi City

Tel:+86 17862239886;+86 17353922008

E-mail:Aowei@aoweiintl.com

Wbsite:www.aoweiintl.com